

Date: Thursday, 3/8/2007 1:14:58 PM  
User: Kim Johnston

## Process Sheet

|                       |                                       |                  |               |
|-----------------------|---------------------------------------|------------------|---------------|
| Customer              | : CU-DAR001 Dart Helicopters Services | Drawing Name     | : BOLT        |
| Job Number            | : 31117                               |                  |               |
| Estimate Number       | : 10372                               |                  |               |
| P.O. Number           | : N/A                                 | Part Number      | : D312121     |
| This Issue            | : 3/8/2007                            | S.O. No.         | : N/A         |
| Prsht Rev.            | : NC                                  | Drawing Number   | : D3121 REV D |
| First Issue           | : NA                                  | Project Number   | : N/A         |
| Previous Run          | : 30320                               | Drawing Revision | : D           |
|                       | Type : MACHINED PARTS                 | Material         | : N/A         |
| Written By            | :                                     | Due Date         | : 4/5/2007    |
| Checked & Approved By | :                                     | Qty:             | 20 Um: Each   |
| Comment               | : Est. A 04.02.09 New issue KJ/DS     |                  |               |

## Additional Product

Job Number:



| Seq. #: | Machine Or Operation: | Description : |
|---------|-----------------------|---------------|
|---------|-----------------------|---------------|

|     |           |             |
|-----|-----------|-------------|
| 1.0 | M303H0500 | 303 HEX BAR |
|-----|-----------|-------------|



Comment: Qty.: 0.0417 f(s)/Unit Total : 0.8340 f(s)

303 HEX BAR

Material: AISI 303 SS 1/2" Hex Bar

(M303H0.500)

Batch: M102286

DSP 07/04/21

|     |          |                          |
|-----|----------|--------------------------|
| 2.0 | HARDINGE | HARDINGE CNC LATHE SMALL |
|-----|----------|--------------------------|



Comment: HARDINGE CNC LATHE SMALL

1-Turn D3121-21

2-Identify as D3121-21

3-Deburr break all sharp edges 0.005" to 0.010"

DSP 07/04/21

220

|     |     |  |
|-----|-----|--|
| 3.0 | QC2 | INSPECT PARTS AS THEY COME OFF MACHINE |
|-----|-----|--|



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

DSP 07/04/21

20

|     |     |              |
|-----|-----|--------------|
| 4.0 | QC8 | SECOND CHECK |
|-----|-----|--------------|



Comment: SECOND CHECK

Er 07/04/23

220

|     |             |                       |
|-----|-------------|-----------------------|
| 5.0 | PACKAGING 1 | PACKAGING RESOURCE #1 |
|-----|-------------|-----------------------|



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

07/04/24 (20)

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☒ No ☐ DQA: ☒ Date: 07/04/24

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                                |                                 |                |                           |                       |                          |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action<br>Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng           | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |

NOTE: Date & initial all entries

Date: Thursday, 3/8/2007 1:14:58 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BOLT

Job Number: 31117

Part Number: D312121

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



20

Comment: FINAL INSPECTION/W/O RELEASE

07/04/24

Job Completion



u 07.04.24

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries







|                  |          |   |                         |
|------------------|----------|---|-------------------------|
| DESIGN           | DRAWN BY | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA                   |                         |
| CHECKED          | APPROVED | DRAWING NO.<br>D3121  | REV. D<br>SHEET 1 OF 10 |
| DATE<br>06.05.17 |          | TITLE<br>BRACKET ASSEMBLY   | SCALE<br>1:2            |
| A                | 02.04.15 | NEW ISSUE   |                         |
| B                | 03.01.16 | ADD RIDGES; ADD MAT'L PROP; FIX P/N<br>ADD -141/-143/-144/-145/-146 |                         |
| C                | 04.02.17 | ADD CLEARANCE; USE -241 BEARING                                     |                         |
| D                | 06.05.17 | D3121-25 CAP WAS 1.024, NOW 1.000                                   |                         |

RELEASED


06.06.02



**D3121-041 BRACKET ASSEMBLY**  
(REPLACES PREMIER P/N B30-23000-33)



**D3121-043 (SHOWN) / D3121-044 (OPPOSITE)  
BRACKET ASSEMBLY**  
(REPLACES PREMIER P/N B30-23000-37/-38)



**D3121-045 (SHOWN) / D3121-046 (OPPOSITE)  
BRACKET ASSEMBLY**  
(REPLACES PREMIER P/N B30-25000-35/-36)


UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 3117

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|          |          |                             |               |
|----------|----------|-----------------------------|---------------|
| DESIGN   | DRAWN BY | DART AEROSPACE LTD          |               |
|          | CB       | HAWKESBURY, ONTARIO, CANADA |               |
| CHECKED  | APPROVED | DRAWING NO.                 | REV. D        |
|          |          | D3121                       | SHEET 2 OF 10 |
| DATE     |          | TITLE                       | SCALE         |
| 06.05.17 |          | BRACKET ASSEMBLY            | 1:2           |




D3121-111 BRACKET

**D3121-141 BRACKET ASSEMBLY**  
(REPLACES PREMIER P/N B30-23001-01)


RELEASED

06.06.02



D3121-113/-114 BRACKET

**D3121-143 (SHOWN) / D3121-144 (OPPOSITE)**  
**BRACKET ASSEMBLY**  
(REPLACES PREMIER P/N B30-23000-03/-04)



D3121-115/-116  
BRACKET

**D3121-145 (SHOWN) / D3121-146 (OPPOSITE)**  
**BRACKET ASSEMBLY**  
(REPLACES PREMIER P/N B30-23000-05/-06)

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 31117



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




|                        |                         |   |                         |
|------------------------|-------------------------|---|-------------------------|
| DESIGN<br>#            | DRAWN BY<br>CB          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>[Signature] | APPROVED<br>[Signature] | DRAWING NO.<br>D3121                              | REV. D<br>SHEET 3 OF 10 |
| DATE<br>06.05.17       |                         | TITLE<br>BRACKET ASSEMBLY                         | SCALE<br>1:1            |

**DETAIL A:**  
**SLOT DETAIL**  
SCALE 2:1  
VIEW ROTATED



**SECTION**  
**C-C**

**DETAIL B:**  
**RIDGE DETAIL**  
PARTIAL SECTION  
SCALE 1:20



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 31117


**RELEASED**

do. do. 02 [Signature]

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)  
MIN ULTIMATE TENSILE = 150 ksi  
MIN YIELD TENSILE = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N & LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 31117

RELEASED


06.06.02

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

|                  |                           |   |                         |
|------------------|---------------------------|---|-------------------------|
| DESIGN<br>#      | DRAWN BY<br>C.B.          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>#     | APPROVED<br>#             | DRAWING NO.<br>D3121                              | REV. D<br>SHEET 5 OF 10 |
| DATE<br>06.05.17 | TITLE<br>BRACKET ASSEMBLY |   | SCALE<br>1:2            |

**D3121-13 BRACKET (SHOWN)****D3121-14 BRACKET (OPPOSITE)**

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)  
MIN ULTIMATE TENSILE STRENGTH = 150 ksi  
MIN YIELD TENSILE STRENGTH = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N & LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 31117

**RELEASED**


06.06.02 #

**Copyright © 2002 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

|                  |                           |  |                         |
|------------------|---------------------------|--|-------------------------|
| DESIGN<br>#      | DRAWN BY<br>C.B.          | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>#     | APPROVED<br>#             | DRAWING NO.<br>D3121                                     | REV. D<br>SHEET 6 OF 10 |
| DATE<br>06.05.17 | TITLE<br>BRACKET ASSEMBLY |  | SCALE<br>1:2            |



**D3121-15 BRACKET (SHOWN)**  
**D3121-16 BRACKET (OPPOSITE)**

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)  
MIN ULTIMATE TENSILE = 150 ksi  
MIN YIELD TENSILE = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N AND LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 3117

RELEASED


06-06-02

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

|                  |                           |   |                         |
|------------------|---------------------------|---|-------------------------|
| DESIGN<br>#      | DRAWN BY<br>C.B.          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>J.H.  | APPROVED<br>J.H.          | DRAWING NO.<br>D3121                              | REV. D<br>SHEET 7 OF 10 |
| DATE<br>06.05.17 | TITLE<br>BRACKET ASSEMBLY |   | SCALE<br>1:2            |

**D3121-111 BRACKET**

- 1) REPLACES PREMIER P/N B32-23001-11
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)  
MIN ULTIMATE TENSILE = 150 ksi  
MIN YIELD TENSILE = 100 ksi
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 31117  
RELEASED


06.06.02

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|                  |                           |   |                         |
|------------------|---------------------------|---|-------------------------|
| DESIGN<br>#      | DRAWN BY<br>C.B.          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>#     | APPROVED<br>#             | DRAWING NO.<br>D3121                              | REV. D<br>SHEET 8 OF 10 |
| DATE<br>06.05.17 | TITLE<br>BRACKET ASSEMBLY |   | SCALE<br>1:2            |



**D3121-113 BRACKET (SHOWN)**

**D3121-114 BRACKET (OPPOSITE)**

- 1) D3121-113 REPLACES PREMIER P/N B32-23001-13  
D3121-114 REPLACES PREMIER P/N B32-23001-14
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643  
(REF DART SPEC. M17-4-B)  
MIN ULTIMATE TENSILE STRENGTH = 150 ksi  
MIN YIELD TENSILE STRENGTH = 100 ksi
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005


RELEASE

06.06.02


SHOP COPY  
RETURN TO  
ENGINEERING  
CONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 31117

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



06.06.02 ~~11~~



SHOP COPY  
RETURN TO  
ENGINEERING  
SEE DETAIL A  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 31117

**D3121-115 BRACKET (SHOWN)**  
**D3121-116 BRACKET (OPPOSITE)**


- 1) D3121-115 REPLACES PREMIER P/N B32-23001-15  
D3121-116 REPLACES PREMIER P/N B32-23001-16
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643  
(REF DART SPEC. M17-4-B)  
MIN ULTIMATE TENSILE STRENGTH = 150 ksi  
MIN YIELD TENSILE STRENGTH = 100 ksi
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

**Copyright © 2002 by DART AEROSPACE LTD**


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**


|                  |                           |  |                          |
|------------------|---------------------------|--|--------------------------|
| DESIGN<br>#      | DRAWN BY<br>C.B.          | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                          |
| CHECKED<br>J.H.  | APPROVED<br>J.H.          | DRAWING NO.<br>D3121                                     | REV. D<br>SHEET 10 OF 10 |
| DATE<br>06.05.17 | TITLE<br>BRACKET ASSEMBLY |  | SCALE<br>1:1             |

**D3121-17 WASHER (SCALE 2:1)**


- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015

**D3121-21 BOLT (SCALE 1:1)**


- 1) MATERIAL: AISI 303 SS HEX, ANNEALED (REF DART SPEC. M303H0.500)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015

**D3121-19 BEARING (SCALE 1:1)**

- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES


**D3121-25 CAP (SCALE 1:1)**

- 1) MATERIAL: DELRIN ROD, Ø1.25 (REF DART SPEC. M-DELRIN-R1.250)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

**D3121-23 BEARING (SCALE 1:1)**

- 1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z OR KML P/N 6900-ZZ
- 2) ALL DIMENSIONS ARE IN INCHES

SHOP COPY  
RETURN TO  
**RELEASED**  
CONTROLLED COPY  
SUBJECT TO RECALL  
WITHOUT NOTICE  
WORK ORDER  
NO. 31112

**D3121-241 BEARING ASSEMBLY (SCALE 1:1)**

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUBJECT ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.